

Reissue 10/622,673 Updated Search

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---|--|------------------|---------|------------------|
| L1 | 4 | (interrupt\$3 adj handler) same (powerfail\$3 adj counter) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:14 |
| L2 | 113916 | (detect\$3 track\$3 monitor\$3 check \$3) same power same (loss los\$3 eras\$3 fail\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:23 |
| L3 | 4 | L2 same (powerfail \$3 adj counter) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:23 |
| L4 | 833 | ((backup back-up "back up") adj battery) same 2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:27 |
| L5 | 3752 | (prevent\$3 avoid \$3 limit\$3 prohibit \$3 inhibit\$3) same (damag\$3 error\$3 fault\$3 fail\$3 problem defect\$3 malfunction) same (digital adj (image camera)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:29 |
| L6 | 0 | 4 same L5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:29 |
| L7 | 114 | (power adj manager) same 2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:30 |
| L8 | 4 | 7 same (interrupt \$3 adj handler) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:31 |

| | | | | | | |
|-----|-----|--|--|----|----|---------------------|
| L9 | 4 | (increas\$3 increment\$3 evaluat\$3) same (powerfail\$3 adj counter) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:35 |
| L10 | 153 | (compar\$3 match \$3) same pre- operat\$3 same post-operat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:36 |
| L11 | 0 | 10 same 2 same 5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:36 |
| L12 | 4 | 4 and (interrupt\$3 adj handler) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:38 |
| L13 | 395 | (714/22).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:39 |
| L14 | 361 | (714/14).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:39 |
| L15 | 629 | (714/8).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:39 |
| L16 | 55 | (348/175).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:39 |
| L17 | 223 | (348/187).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:39 |
| L18 | 122 | (anderson\$-eric). in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:39 |

| | | | | | | |
|-----|--------|---|--|----|----|---------------------|
| L19 | 0 | (L13 L14 L15 s9s 10 L16 L17) and L18 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:39 |
| L20 | 0 | 4 and 10 and (13 14 15 16 17 18) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:40 |
| L21 | 0 | 4 and 10 and ("714"/\$.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:40 |
| L22 | 0 | 4 and 10 and ("348"/\$.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/11 14:41 |
| S1 | 3559 | (prevent\$3 avoid \$3 limit\$3 prohibit \$3 inhibit\$3) same (damag\$3 error\$3 fault\$3 fail\$3 problem defect\$3 malfunction) same (digital adj (image camera)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 14:48 |
| S2 | 110606 | (detect\$3 track\$3 monitor\$3 check \$3) same power same (loss los\$3 eras\$3 fail\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 14:50 |
| S3 | 18482 | repeat\$3 same (memory storage) same access\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 14:51 |
| S4 | 3 | S1 same S2 same S3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 14:51 |
| S5 | 9 | S1 and S2 and S3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/01/21 14:52 |

| | | | | | | |
|-----|------|---------------------------|--|----|----|---------------------|
| S6 | 386 | (714/22).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 17:52 |
| S7 | 350 | (714/14).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 17:53 |
| S8 | 604 | (714/8).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 18:04 |
| S9 | 4009 | (713/300).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 18:05 |
| S10 | 1109 | (713/340).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 18:05 |
| S11 | 54 | (348/175).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 18:10 |
| S12 | 207 | (348/187).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 18:10 |
| S13 | 8 | (eric\$-anderson). in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 18:14 |
| S14 | 115 | (anderson\$-eric). in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 18:16 |

| | | | | | | |
|-----|--------|---|--|----|----|---------------------|
| S15 | 3599 | (prevent\$3 avoid \$3 limit\$3 prohibit \$3 inhibit\$3) same (damag\$3 error\$3 fault\$3 fail\$3 problem defect\$3 malfunction) same (digital adj (image camera)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 18:18 |
| S16 | 111252 | (detect\$3 track\$3 monitor\$3 check \$3) same power same (loss los\$3 eras\$3 fail\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 18:18 |
| S17 | 2 | S15 and S16 and S6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 18:18 |
| S18 | 6 | S15 and S16 and (S7 S8 S9 S10) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 18:21 |
| S19 | 0 | (S11 S12) and S15 and S16 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 18:22 |
| S21 | 15 | ("714"/\$).ccls. and S15 and S16 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 18:23 |
| S22 | 7 | ("713"/\$).ccls. and S15 and S16 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 18:23 |
| S23 | 65 | ("348"/\$).ccls. and S15 and S16 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 18:23 |

| | | | | | | |
|-----|--------|---|--|----|-----|---------------------|
| S24 | 3605 | (prevent\$3 avoid \$3 limit\$3 prohibit \$3 inhibit\$3) same (damag\$3 error\$3 fault\$3 fail\$3 problem defect\$3 malfunction) same (digital adj (image camera)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/24 14:38 |
| S25 | 111373 | (detect\$3 track\$3 monitor\$3 check \$3) same power same (loss los\$3 eras\$3 fail\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/24 14:38 |
| S26 | 65 | ("348"/\$).ccls. and S24 and S25 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/24 14:38 |
| S27 | 2 | ("6263453").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/24 18:23 |

6/11/09 2:41:40 PM

C:\Documents and Settings\MLe\My Documents\EAST\Workspaces\reissue 10622673.
wsp

Reissur 10/622,673

Sign in



prevent damage digital camera power manager interrupt handler

Search

Advanced Search
Preferences



Web Show options...

Results 11 - 20 of about 11,300 for prevent damage digital camera power manager interrupt handler. (0.20 seconds)

1. Bluetooth Product Guide

Integrates antennas into the metal ring around the **camera**, audio jack, ... Intelligent **power management** technology provides up to five hours of talk time hardware features such as Port I/O, Memory I/O, and **interrupt** processing of options to control audio distortion levels and **prevent speaker damage** ...

www.industrial-embedded.com/products/guides/live/?q=Bluetooth - [Cached](#) - [Similar](#)

2. Mac Connection - Accessories > Power Management Category Listing

Your movie will be safely and legally transferred into a **digital** library. ... Just plug your video **camera** into the OSD, push play, and your memories are digitized. ... put an end to DVD **damage**, and instantly access any of your videos with ... Module would not **interrupt** the load on the output module attached to it. ...

www.macconnection.com/IPA/Shop/Product/Category.htm?CatId=203894

- [Cached](#) - [Similar](#)

3. ACCESSING PASSWORD PROTECTED DEVICES - US 20090113544

For example, one of the **interrupt handlers** can be a keyboard **interrupt** ... BIOS 114 can also facilitate various complex functions such as hot swapping, **power management**, and thermal **management**. ... hard drive, **digital** device, storage device, etc. ... the drive can be password protected to **prevent** data theft. ...

www.patents.com/ACCESSING-PASSWORD-PROTECTED-DEVICES/US20090113544/en-US/

- [Cached](#) - [Similar](#)

4. Computer Power User Article - BIOS Performance Boosters

Most of the **power management** settings available through the **Power Management** Setup on the main BIOS ... and increasing **power** levels is likely to cause **damage**. ... Leave the APIC Mode enabled to allow more IRQs and faster **interrupt handling**. Exact Match ('**digital** photography'- all words MUST appear together) ...

www.computerpoweruser.com/editorial/article.asp?article=articles%2Farchive%2F0503%2F30c03%2F30c03.asp

- [Cached](#) - [Similar](#)

5. [PDF] Digital power management enable variable speeds in appliances

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the implementation of a **digital power management** system of- fers numerous and significant **prevent damage**. While protec- tion circuits must act quickly, ... **interrupt** service routine is initi- ated, followed by the termina- ... industry, instrumentation, **digital cameras**, microfilm scanners, mo- ...

www.eetindia.co.in/STATIC/PDF/200612/EEIOL_2006DEC13_POW_MANF_TA_01.pdf?SOURCES=DOWNLOAD

- [Similar](#)

6. PC Card Primer

The CardBus interface supports the existing PC Card Audio **Digital** Waveform mode and a new ... This interface is designed to **prevent damage** to the inserted card. **Interrupt handlers** for multiple function PC Cards are registered with Card Services ... Now, with the new release, PCMCIA has added **power management** ...
www.pcmcia.org/pccard.htm - [Cached](#) - [Similar](#)

7. [EDN Access--03.14.97 Leading Edge](#)

VSA uses the MediaGX's system-management interrupt (SMI) to capture any ... Low-cost **digital** thermometer tells you when to cool down ... USB **power-management** IC combats shorts, overtemperature, undervoltage ... and shuts down current flow to **prevent damage**; it also automatically limits bus current to a safe value. ...
www.edn.com/archives/1997/031497/06LE.htm - [Cached](#) - [Similar](#)

8. [Integrating embedded PC and internet technologies for real-time ...](#)

of these cannot change NT's **interrupt handling** nature and 5) Advanced **power management** (APM). Recently, an Internet browser, DR-WebSpyder 2.0, has been a **digital camera** interface board, the user interface could be un-willingly blocked. mation, but more seriously may allow **damage** to the embedded ...
ieeexplore.ieee.org/iel5/3516/21363/00990887.pdf?arnumber=990887 - [Similar](#)
by X Feng - 2002 - [Cited by 7](#) - [Related articles](#)

9. [Press Release: Panamax/Furman Joins Savant Excellence in AV ...](#)

Apr 9, 2009 ... Panamax/Furman, a world-leading provider of AC **power management** solutions, ... transformer that provides **power** for **digital** source components and displays. ... **interrupts** ground loops, making the **power management** device ... lamps properly to **prevent damage** from excessive heat before shutting down. ...
www.cepro.com/article/panamax_furman_joins_savant_excellence_in_av_program/K357 - [Cached](#) - [Similar](#)

10. [ADXL345 \(Analog Devices\) - Digital Accelerometer](#)

These functions can be mapped to **interrupt** output pins. ... Low **power** modes enable intelligent motion-based **power management** with threshold ... **Digital cameras** FUNCTIONAL BLOCK DIAGRAM Vs VDD I/O **POWER MANAGEMENT** A/D CONVERTER 3 listed under Absolute Maximum Ratings may cause permanent **damage** to the device. ...
www.datasheet4u.com/html/A/D/X/ADXL345_AnalogDevices.pdf.html
- [Cached](#) - [Similar](#)

◀ Google ▶
[Previous](#) 1 2 3 4 5 6 7 8 9 10 11 [Next](#)

prevent damage digital camera power manager interrupt handler

Search

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)